




- NOTES:
- 1 FOR REFERENCE ONLY: SYSTEM CABLES SUPPLIED ON P/N: 100-112-745
 - 2 FOR REFERENCE ONLY: CABLE NOT SUPPLIED.
 - 3 SOFTWARE CONFIGURE 493.74 HSM MODULES TO INTERLOCK (DISABLE-HSM OUTPUTS) IF INTLK 1 HAS OCCURED.
 - 4 CUSTOMER TO PROVIDE CABLES FROM ENCODERS TO 493.XX CONTROLLER.

REVISIONS					
DESCRIPTION			LETTER	ECN NO.	
DRAWN	ENGR	DATE			
REPLACED PC/MONITOR FROM: 100-138-480 TO 100-126-432 ON (xPC) DELETE: 100-143-406			B	RULE 1	
DJR	MSF	3/22/05			
MODIFIED REAR PANEL HSM INTERFACE DESIGNATIONS AND ADDED ACTUATOR #5			C	RULE 1	
GSW	MSF	4/19/05			
REVERSED COM1 AND COM2 DESIGNATIONS			D	RULE 1	
GSW	MSF	9/22/05			
CHANGED ACTUATORS (3 & 4) J4 TEMPO III CABLES TO 100-120-354			E	RULE 1	
GSW	MSF	3/2/06			
MOVED CARD FROM SLOT 10 TO SLOT 8			F	RULE 1	
SPD	MSF	10/16/08			

SOURCE/REF DRAWING:

PROPRIETARY DATA

The information and design(s) disclosed herein are the property of MTS Systems Corporation and may not be used, reproduced or disclosed in any form except as granted in writing by MTS Systems Corporation. This restriction excludes information that is in the public domain or was legitimately in the prior possession of the recipient.

UNLESS OTHERWISE SPECIFIED					
MATERIAL DESCRIPTION	.XXX HOLE SIZE TOLERANCE	DRAWN DJR	CHECK MSF	ENGR MFG	
MATERIAL SIZE	0.000 TO .750 +.010/-0.002	DATE 3/9/05	DATE 3/2005	DATE	
FINISH	MASK	ANGLE ±2°	SCALE	TITLE	
• THREAD DEPTHS ARE TO MIN FULL THDS	SCALE NONE	SCALE ±.1	SCALE ±.1	SCALE ±.1	SCALE ±.1
• DRILL DEPTHS ARE TO FULL DIA	SCALE NONE	SCALE ±.1	SCALE ±.1	SCALE ±.1	SCALE ±.1
• REMOVE BURRS AND SHARP EDGES	SCALE NONE	SCALE ±.1	SCALE ±.1	SCALE ±.1	SCALE ±.1
• DO NOT SCALE PRINT	SCALE NONE	SCALE ±.1	SCALE ±.1	SCALE ±.1	SCALE ±.1
MTS	MTS SYSTEMS CORPORATION EDEN PRAIRIE, MINNESOTA U.S.A. ©	THIRD ANGLE PROJ.	THIRD ANGLE PROJ.	THIRD ANGLE PROJ.	THIRD ANGLE PROJ.
SYSTEM FUNCTIONAL- STRUCTURAL 1 US1.22596.810			NEXT LEVEL	SIZE	NUMBER
PRODUCT CODE			D	700-003-036	REV F
SHEET 1			OF 1		