







REVISIONS				
DESCRIPTION				
ORIGIN	ENGR	DATE	BY	REASON
The information and design disclosed herein are the property of WIS Systems Corporation and may not be used, reproduced or disclosed in any form except as granted by writing by WIS Systems Corporation. This restriction excludes information that is in the public domain or which, in the prior possession of the recipient,				
SOURCE/REF DRAWING				
PROPRIETARY DATA				
DATE TIME USER WFO				
DCJ		DATE DATE		
DATE 2-15-84		DATE 2-20-84		

CABLES-

REV	DATE	BY	DESCRIPTION
1	100-288-510	1	

SHEET 1 of 1





REVISIONS				
DESCRIPTION	DRAWING	ENGR	DATE	LETTER
SEE SHEET 1 FOR REVISION INFORMATION				
PROPRIETARY DATA The information and design developed herein are the property of MFS Systems Corporation and may not be used, reproduced or disclosed in any form except as provided by MFS to MFS Systems Corporation. This restriction does not extend to the public domain or to information legitimately in the prior possession of the recipient.				
DRAWN DJJ	CHECK JWR	ENGR JWR	DATE 2-20-84	MFS
TABLES - VALUATORS, US2,45734				
SIZE D	NUMBER 100-288-510	ENGR JWR	DATE 2-20-84	MFS
SHEET 2 OF 8				



EXAMPLE

WRAP AROUND LABELING
ON THIS END OF CABLE

494.20
TABLE CONTROLLER
(FRONT)



EXAMPLE

WRAP AROUND LABELING
ON THIS END OF CABLE

X3 ACTUATOR
(HORIZONTAL)

REVISIONS				
DESCRIPTION	DATE	LETTER	REV	BY
SEE SHEET 1 FOR REVISION INFORMATION				


UNLESS OTHERWISE SPECIFIED				
MATERIAL DESCRIPTION	.XXX HOLE SIZE TOLERANCE	DRUM	CHECK	ENGR
MATERIAL SIZE	0.000 TO .150 +.000/-.002	DATE	DATE	DATE
FRESH	MARK	DATE	DATE	DATE
THREAD DEPTHS ARE TO MIN FULL THD	SCALE	DATE	DATE	DATE
DRILL DEPTHS ARE TO FULL DIA	SCALE	DATE	DATE	DATE
REMOVE BURRS AND SHARP EDGES	SCALE	DATE	DATE	DATE
DO NOT SCALE PRINT	SCALE	DATE	DATE	DATE
MTS SYSTEMS CORPORATION EDEN PRARIE, MINNESOTA U.S.A. ©	SCALE	DATE	DATE	DATE



EXAMPLE

WRAP AROUND LABELING
ON THIS END OF CABLE

494.20
TABLE CONTROLLER
(FRONT)



EXAMPLE

WRAP AROUND LABELING
ON THIS END OF CABLE

X4 ACTUATOR
(HORIZONTAL)


REVISIONS				
DESCRIPTION	DATE	LETTER	BY	CHK
SEE SHEET 1 FOR REVISION INFORMATION				
DRWN	ENGR	DATE	LETTER	BY
UNLESS OTHERWISE SPECIFIED				
MATERIAL DESCRIPTION				
MATERIAL SIZE				
FINISH				
THREAD DEPTH ARE TO MIN FULL THD				
DRILL DEPTHS ARE TO FULL DIA				
REMOVE BURRS AND SHARP EDGES				
DO NOT SCALE PRINT				
MFG MTS SYSTEMS CORPORATION				
EVEN PRINCE MINNESOTA U.S.A.				
UNLESS OTHERWISE SPECIFIED				
.XXX HOLE SIZE TOLERANCE				
OVER .750				
10 .750				
+0.00/-0.002				
+0.01/-0.003				
TITLE				
SYSTEM CABLES-				
TABLE ACTUATORS, US2,45734				
NEXT LEVEL				
100-288-510				
PROJECT CODE				
SHEET 4 of 8				



EXAMPLE

WRAP AROUND LABELING
ON THIS END OF CABLE

494.20
TABLE CONTROLLER
(FRONT)



EXAMPLE

WRAP AROUND LABELING
ON THIS END OF CABLE

Z1 ACTUATOR
(VERTICAL)

REVISIONS				
DESCRIPTION	DRAWN	CHKD	DATE	REV
SEE SHEET 1 FOR REVISION INFORMATION				

SOURCE/REF	
DRAWING	
PROPRIETARY DATA	
The information and design depicted herein are the property of MTS Systems Corporation and may not be used, reproduced or disclosed in any form except as controlled by MTS Systems Corporation. This restriction includes information that is in the public domain or has become so in the prior possession of the recipient.	


UNLESS OTHERWISE SPECIFIED			
MATERIAL DESCRIPTION	.XXX HOLE SIZE TOLERANCE	SEAL	CHECK
MATERIAL SIZE	0.000 OVER .750	DATE	DATE
	TO .750	DATE	DATE
	TO .000	DATE	DATE
	TO .000	DATE	DATE
FINISH	SCALE	SCALE	SCALE
	1/8" = 1"	1/8" = 1"	1/8" = 1"
	1/16" = 1"	1/16" = 1"	1/16" = 1"
	1/32" = 1"	1/32" = 1"	1/32" = 1"
	1/64" = 1"	1/64" = 1"	1/64" = 1"
	1/128" = 1"	1/128" = 1"	1/128" = 1"
	1/256" = 1"	1/256" = 1"	1/256" = 1"
	1/512" = 1"	1/512" = 1"	1/512" = 1"
	1/1024" = 1"	1/1024" = 1"	1/1024" = 1"
	1/2048" = 1"	1/2048" = 1"	1/2048" = 1"
	1/4096" = 1"	1/4096" = 1"	1/4096" = 1"
	1/8192" = 1"	1/8192" = 1"	1/8192" = 1"
	1/16384" = 1"	1/16384" = 1"	1/16384" = 1"
	1/32768" = 1"	1/32768" = 1"	1/32768" = 1"
	1/65536" = 1"	1/65536" = 1"	1/65536" = 1"
	1/131072" = 1"	1/131072" = 1"	1/131072" = 1"
	1/262144" = 1"	1/262144" = 1"	1/262144" = 1"
	1/524288" = 1"	1/524288" = 1"	1/524288" = 1"
	1/1048576" = 1"	1/1048576" = 1"	1/1048576" = 1"
	1/2097152" = 1"	1/2097152" = 1"	1/2097152" = 1"
	1/4194304" = 1"	1/4194304" = 1"	1/4194304" = 1"
	1/8388608" = 1"	1/8388608" = 1"	1/8388608" = 1"
	1/16777216" = 1"	1/16777216" = 1"	1/16777216" = 1"
	1/33554432" = 1"	1/33554432" = 1"	1/33554432" = 1"
	1/67108864" = 1"	1/67108864" = 1"	1/67108864" = 1"
	1/134217728" = 1"	1/134217728" = 1"	1/134217728" = 1"
	1/268435456" = 1"	1/268435456" = 1"	1/268435456" = 1"
	1/536870912" = 1"	1/536870912" = 1"	1/536870912" = 1"
	1/1073741824" = 1"	1/1073741824" = 1"	1/1073741824" = 1"
	1/2147483648" = 1"	1/2147483648" = 1"	1/2147483648" = 1"
	1/4294967296" = 1"	1/4294967296" = 1"	1/4294967296" = 1"
	1/8589934592" = 1"	1/8589934592" = 1"	1/8589934592" = 1"
	1/17179869184" = 1"	1/17179869184" = 1"	1/17179869184" = 1"
	1/34359738368" = 1"	1/34359738368" = 1"	1/34359738368" = 1"
	1/68719476736" = 1"	1/68719476736" = 1"	1/68719476736" = 1"
	1/137438953472" = 1"	1/137438953472" = 1"	1/137438953472" = 1"
	1/274877906944" = 1"	1/274877906944" = 1"	1/274877906944" = 1"
	1/549755813888" = 1"	1/549755813888" = 1"	1/549755813888" = 1"
	1/1099511627776" = 1"	1/1099511627776" = 1"	1/1099511627776" = 1"
	1/2199023255552" = 1"	1/2199023255552" = 1"	1/2199023255552" = 1"
	1/4398046511104" = 1"	1/4398046511104" = 1"	1/4398046511104" = 1"
	1/8796093022208" = 1"	1/8796093022208" = 1"	1/8796093022208" = 1"
	1/17592186044416" = 1"	1/17592186044416" = 1"	1/17592186044416" = 1"
	1/35184372088832" = 1"	1/35184372088832" = 1"	1/35184372088832" = 1"
	1/70368744177664" = 1"	1/70368744177664" = 1"	1/70368744177664" = 1"
	1/140737488355328" = 1"	1/140737488355328" = 1"	1/140737488355328" = 1"
	1/281474976710656" = 1"	1/281474976710656" = 1"	1/281474976710656" = 1"
	1/562949953421312" = 1"	1/562949953421312" = 1"	1/562949953421312" = 1"
	1/1125899906842624" = 1"	1/1125899906842624" = 1"	1/1125899906842624" = 1"
	1/2251799813685248" = 1"	1/2251799813685248" = 1"	1/2251799813685248" = 1"
	1/4503599627370496" = 1"	1/4503599627370496" = 1"	1/4503599627370496" = 1"
	1/9007199254740992" = 1"	1/9007199254740992" = 1"	1/9007199254740992" = 1"
	1/18014398509481984" = 1"	1/18014398509481984" = 1"	1/18014398509481984" = 1"
	1/36028797018963968" = 1"	1/36028797018963968" = 1"	1/36028797018963968" = 1"
	1/72057594037927936" = 1"	1/72057594037927936" = 1"	1/72057594037927936" = 1"
	1/144115188075855872" = 1"	1/144115188075855872" = 1"	1/144115188075855872" = 1"
	1/288230376151711744" = 1"	1/288230376151711744" = 1"	1/288230376151711744" = 1"
	1/576460752303423488" = 1"	1/576460752303423488" = 1"	1/576460752303423488" = 1"
	1/1152921504606846976" = 1"	1/1152921504606846976" = 1"	1/1152921504606846976" = 1"
	1/2305843009213693952" = 1"	1/2305843009213693952" = 1"	1/2305843009213693952" = 1"
	1/4611686018427387904" = 1"	1/4611686018427387904" = 1"	1/4611686018427387904" = 1"
	1/9223372036854775808" = 1"	1/9223372036854775808" = 1"	1/9223372036854775808" = 1"
	1/18446744073709551616" = 1"	1/18446744073709551616" = 1"	1/18446744073709551616" = 1"
	1/36893488147419103232" = 1"	1/36893488147419103232" = 1"	1/36893488147419103232" = 1"
	1/73786976294838206464" = 1"	1/73786976294838206464" = 1"	1/73786976294838206464" = 1"
	1/147573952589676412928" = 1"	1/147573952589676412928" = 1"	1/147573952589676412928" = 1"
	1/295147905179352825856" = 1"	1/295147905179352825856" = 1"	1/295147905179352825856" = 1"
	1/590295810358705651712" = 1"	1/590295810358705651712" = 1"	1/590295810358705651712" = 1"
	1/1180591620717411303424" = 1"	1/1180591620717411303424" = 1"	1/1180591620717411303424" = 1"
	1/2361183241434822606848" = 1"	1/2361183241434822606848" = 1"	1/2361183241434822606848" = 1"
	1/4722366482869645213696" = 1"	1/4722366482869645213696" = 1"	1/4722366482869645213696" = 1"
	1/9444732965739290427392" = 1"	1/9444732965739290427392" = 1"	1/9444732965739290427392" = 1"
	1/18889465931478580854784" = 1"	1/18889465931478580854784" = 1"	1/18889465931478580854784" = 1"
	1/37778931862957161709568" = 1"	1/37778931862957161709568" = 1"	1/37778931862957161709568" = 1"
	1/75557863725914323419136" = 1"	1/75557863725914323419136" = 1"	1/75557863725914323419136" = 1"
	1/151115727451828646838272" = 1"	1/151115727451828646838272" = 1"	1/151115727451828646838272" = 1"
	1/302231454903657293676544" = 1"	1/302231454903657293676544" = 1"	1/302231454903657293676544" = 1"
	1/604462909807314587353088" = 1"	1/604462909807314587353088" = 1"	1/604462909807314587353088" = 1"
	1/1208925819614629174706176" = 1"	1/1208925819614629174706176" = 1"	1/1208925819614629174706176" = 1"
	1/2417851639229258349412352" = 1"	1/2417851639229258349412352" = 1"	1/2417851639229258349412352" = 1"
	1/4835703278458516698824704" = 1"	1/4835703278458516698824704" = 1"	1/4835703278458516698824704" = 1"
	1/9671406556917033397649408" = 1"	1/9671406556917033397649408" = 1"	1/9671406556917033397649408" = 1"
	1/19342813113834066795298816" = 1"	1/19342813113834066795298816" = 1"	1/19342813113834066795298816" = 1"
	1/38685626227668133590597632" = 1"	1/38685626227668133590597632" = 1"	1/38685626227668133590597632" = 1"
	1/77371252455336267181195264" = 1"	1/77371252455336267181195264" = 1"	1/77371252455336267181195264" = 1"
	1/154742504910672534362390528" = 1"	1/154742504910672534362390528" = 1"	1/154742504910672534362390528" = 1"
	1/309485009821345068724781056" = 1"	1/309485009821345068724781056" = 1"	1/309485009821345068724781056" = 1"
	1/618970019642690137449562112" = 1"	1/618970019642690137449562112" = 1"	1/618970019642690137449562112" = 1"
	1/1237940039285380274899124224" = 1"	1/1237940039285380274899124224" = 1"	1/1237940039285380274899124224" = 1"
	1/2475880078570760549798248448" = 1"	1/2475880078570760549798248448" = 1"	1/2475880078570760549798248448" = 1"
	1/4951760157141521099596496896" = 1"	1/4951760157141521099596496896" = 1"	1/4951760157141521099596496896" = 1"
	1/9903520314283042199192993792" = 1"	1/9903520314283042199192993792" = 1"	1/9903520314283042199192993792" = 1"
	1/19807040628566084398385987584" = 1"	1/19807040628566084398385987584" = 1"	1/19807040628566084398385987584" = 1"
	1/39614081257132168796771975168" = 1"	1/39614081257132168796771975168" = 1"	1/39614081257132168796771975168" = 1"
	1/79228162514264337593543950336" = 1"	1/79228162514264337593543950336" = 1"	1/79228162514264337593543950336" = 1"
	1/158456325028528675187087900672" = 1"	1/158456325028528675187087900672" = 1"	1/158456325028528675187087900672" = 1"
	1/316912650057057350374175801344" = 1"	1/316912650057057350374175801344" = 1"	1/316912650057057350374175801344" = 1"
	1/633825300114114700748351602688" = 1"	1/633825300114114700748351602688" = 1"	1/633825300114114700748351602688" = 1"
	1/1267650600228229401496703205376" = 1"	1/1267650600228229401496703205376" = 1"	1/1267650600228229401496703205376" = 1"
	1/2535301200456458802993406410752" = 1"	1/2535301200456458802993406410752" = 1"	1/2535301200456458802993406410752" = 1"
	1/5070602400912917605986812821504" = 1"	1/5070602400912917605986812821504" = 1"	1/5070602400912917605986812821504" = 1"
	1/10141204801825835211973625643008" = 1"	1/10141204801825835211973625643008" = 1"	1/10141204801825835211973625643008" = 1"
	1/20282409603651670423947251286016" = 1"	1/20282409603651670423947251286016" = 1"	1/20282409603651670423947251286016" = 1"
	1/40564819207303340847894502572032" = 1"	1/40564819207303340847894502572032" = 1"	1/40564819207303340847894502572032" = 1"
	1/81129638414606681695789005144064" = 1"	1/81129638414606681695789005144064" = 1"	1/81129638414606681695789005144064" = 1"
	1/162259276829213363391778010288128" = 1"	1/162259276829213363391778010288128" = 1"	1/162259276829213363391778010288128" = 1"
	1/324518553658426726783556020576256" = 1"	1/324518553658426726783556020576256" = 1"	1/324518553658426726783556020576256" = 1"
	1/649037107316853453567112041152512" = 1"	1/649037107316853453567112041152512" = 1"	1/649037107316853453567112041152512" = 1"
	1/1298074214633706907134224082305024" = 1"	1/1298074214633706907134224082305024" = 1"	1/1298074214633706907134224082305024" = 1"
	1/2596148429267413814268448164610048" = 1"	1/2596148429267413814268448164610048" = 1"	1/2596148429267413814268448164610048" = 1"
	1/5192296858534827628536896329220096" = 1"	1/5192296858534827628536896329220096" = 1"	1/5192296858534827628536896329220096" = 1"
	1/10384593717069655257073792658440192" = 1"	1/10384593717069655257073792658440192" = 1"	1/10384593717069655257073792658440192" = 1"
	1/20769187434139310514147585316880384" = 1"	1/20769187434139310514147585316880384" = 1"	1/20769187434139310514147585316880384" = 1"
	1/41538374868278621028295170633760768" = 1"	1/41538374868278621028295170633760768" = 1"	



EXAMPLE

WRAP AROUND LABELING
ON THIS END OF CABLE

494.20
TABLE CONTROLLER
(FRONT)




EXAMPLE

WRAP AROUND LABELING
ON THIS END OF CABLE

Z2 ACTUATOR
(VERTICAL)

REVISIONS				
DESCRIPTION	DATE	LETTER	BY	CHK
SEE SHEET 1 FOR REVISION INFORMATION				
SOURCE/REF				
DRAWING				
PROPRIETARY DATA				
The information and designs depicted herein are the property of MTS Systems Corporation and may not be used, reproduced or disclosed in any form except as approved in writing by MTS Systems Corporation. This restriction includes information that is in the public domain or was legitimately in the prior possession of the recipient.				
UNLESS OTHERWISE SPECIFIED				
MATERIAL DESCRIPTION	.XXX HOLE SIZE TOLERANCE	DRAWN	CHECK	MFG
MATERIAL SIZE	OVER .750 10 .750 +0.00/-0.02	DATE	DATE	DATE
FINISH	WASH	DATE	DATE	DATE
THREAD DEPTHS ARE TO MIN FILL THIS	SCALE	DATE	DATE	DATE
DRAW DEPTHS ARE TO FULL DIA	SCALE	DATE	DATE	DATE
REMOVE BURRS AND SHARP EDGES	SCALE	DATE	DATE	DATE
DO NOT SCALE PRINT	SCALE	DATE	DATE	DATE
MTS SYSTEMS CORPORATION	MTS SYSTEMS CORPORATION	MTS SYSTEMS CORPORATION	MTS SYSTEMS CORPORATION	MTS SYSTEMS CORPORATION
MINNAPOLIS, MINN.	MINNAPOLIS, MINN.	MINNAPOLIS, MINN.	MINNAPOLIS, MINN.	MINNAPOLIS, MINN.
USA	USA	USA	USA	USA
SYSTEM CABLES- TABLE ACTUATORS, US2.45734	SYSTEM CABLES- TABLE ACTUATORS, US2.45734	SYSTEM CABLES- TABLE ACTUATORS, US2.45734	SYSTEM CABLES- TABLE ACTUATORS, US2.45734	SYSTEM CABLES- TABLE ACTUATORS, US2.45734
SIZE	NUMBER	DATE	DATE	DATE
100-268-510	100-268-510	100-268-510	100-268-510	100-268-510
SHEET	6 of 8	SHEET	6 of 8	SHEET


[illegible]



EXAMPLE

WRAP AROUND LABELING
ON THIS END OF CABLE

494.20
TABLE CONTROLLER
(FRONT)



EXAMPLE

WRAP AROUND LABELING
ON THIS END OF CABLE

Z4 ACTUATOR
(VERTICAL)

REVISIONS				
DESCRIPTION	DATE	LETTER	BY	CHK
SEE SHEET 1 FOR REVISION INFORMATION				
DRWN	ENGR	DATE	LETTER	BY
SOURCE REF				
DRAWING				
PROPRIETARY DATA				
The information and design data disclosed herein are the property of MTS Systems Corporation and may not be copied, reproduced or disclosed in any form without its written permission. This restriction includes information that is to the public domain or is otherwise in the prior possession of the recipient.				
MATERIAL DESCRIPTION	.XXX HOLE SIZE TOLERANCE	DRWN	CHECK	ENGR
MATERIAL SIZE	0.000 OVER .750 10 .750 TO 1.000 - .000/- .003	DCJ	JWFR	
FINISH	DATE	DATE	DATE	DATE
2-15-14	2-15-14	2-15-14	2-15-14	2-20-14
SYSTEM CABLES- TABLE ACTUATORS, US2.45734				
THREAD DEPTHS ARE TO MIN FULL THD DRILL DEPTHS ARE TO FULL DM REMOVE BURRS AND SHARP EDGES DO NOT SCALE PRINT	SCALE 1/2" = 1"	SIZE 1/2"	NUMBER 100-288-510	REV A
MTS SYSTEMS CORPORATION EAST PITTSBURGH, PENNSYLVANIA 15110-0001	DATE 1/15/14	PRODUCT CODE 100-288-510	SHEET 8	OF 8